# MetaDefender Core Platform Accessibility Conformance Report International Edition

**(Based on VPAT® Version 2.4Rev)**

## Name of Product/Version:

MetaDefender Core Platform/5.6.1

## Report Date:

18th September 2023

## Product Description:

Malware prevention and detection platform with Deep Content Disarm and Reconstruction ("Deep CDR"), multiscanning, and file-based vulnerability assessment capabilities.

## Contact Information:

George Prichici

**george.prichici@opswat.com**

## Notes:

BarrierBreak performed an accessibility audit for the MetaDefender Core Platform web application.

_____

**OPSWAT.**

MetaDefender Core

# Evaluation Methods Used:

A sample set of pages were identified to perform the audit. The pages were tested using:

- Windows 10 /Chrome/JAWS 2021
- Windows 10/Firefox/NVDA 2022
- Windows 10/Edge/Narrator
- MAC 11/Safari/VoiceOver
- Windows / Chrome /ZoomText 2022
- Windows / Chrome /Dragon Naturally Speaking 15

Accessibility testers performed the audit using:

- Automated tools
    - W3C Markup Validation Service
    - Color contrast checker
- Code Inspection
- Keyboard-only interaction
- Screen readers
- Screen magnifier
- Speech recognition

Accessibility testers performed the test keeping WCAG 2.1 guidelines in mind.

A set of 2 random pages were tested using ZoomText and Dragon Naturally Speaking each. These results reflect the accessibility of a set of pages. The following pages were evaluated:

- Login Page
- Dashboard Overview/Usage
- Pop Up 1: Dashboard Overview/ Unmanaged

# OPSWAT.
## MetaDefender Core

- Dashboard Overview/ Executive Report
- Dashboard Overview/ System Health
- History/ Processing
- History/ Quarantine
- History/ Module Update
- History/ Configuration History
- Workflow Management/ Workflows
- Workflow Management/ Workflows/ New workflow
- Workflow Management/ Workflows/ Kiosk/ General
- Workflow Management/ Workflows/ Kiosk/ Archive
- Workflow Management/ Template
- Workflow Management/Security Zones
- Workflow/Security Zones/ Create New Security Zone
- User Management/ User groups and roles
- User Management/ Roles /Add role.
  Pop Up: User Management/ Users and groups /Edit user
- User Management/ Directories
- User Management/ Directories/ Add Directory
- Inventory/ Modules
- Inventory/ Modules/ Deep CDR
- Inventory/ Skip by hash
- Inventory/ Skip by Hash/ Add Hash
- Settings/ Security
- Settings/ Network/ Add Server
- Settings/ Network/ Configure
- Data Retention
- Settings/ Health Check
- Settings/ Export/ Import
- Pop Up 2: Settings/ Module Update/ Add Schedule

# OPSWAT.
## MetaDefender Core

# Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|---|---|
| Web Content Accessibility Guidelines 2.0 | Level A: Yes |
| | Level AA: Yes |
| | Level AAA: No |
| Web Content Accessibility Guidelines 2.1 | Level A: Yes |
| | Level AA: Yes |
| | Level AAA: No |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | Yes |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)  *AND* EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | Yes |

# Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

OPSWAT.

MetaDefender Core

# WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549:  Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

# OPSWAT.
## MetaDefender Core

## Table 1: Success Criteria, Level A

Notes: Applicable for a sample set of pages and modal dialogs.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **1.1.1 Non-text Content** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.1.1.1 (Web)<br>&bull; 10.1.1.1 (Non-web document)<br>&bull; 11.1.1.1.1 (Open Functionality Software)<br>&bull; 11.1.1.1.2 (Closed Functionality Software)<br>&bull; 11.8.2 (Authoring Tool)<br>&bull; 12.1.2 (Product Docs)<br>&bull; 12.2.4 (Support Docs)<br>Revised Section 508<br>&bull; 501 (Web)(Software)<br>&bull; 504.2 (Authoring Tool)<br>&bull; 602.3 (Support Docs) | Supports | Informative and functional images have accurate textual descriptions. |
| **1.2.1 Audio-only and Video-only (Prerecorded)** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.1.2.1 (Web)<br>&bull; 10.1.2.1 (Non-web document)<br>&bull; 11.1.2.1.1 (Open Functionality Software)<br>&bull; 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)<br>&bull; 11.8.2 (Authoring Tool)<br>&bull; 12.1.2 (Product Docs)<br>&bull; 12.2.4 (Support Docs)<br>Revised Section 508<br>&bull; 501 (Web)(Software)<br>&bull; 504.2 (Authoring Tool) | Not Applicable | Prerecorded Audio-only and Video-only content is not present. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 602.3 (Support Docs) | | |
| **1.2.2 Captions (Prerecorded)** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.2.2 (Web)<br>• 10.1.2.2 (Non-web document)<br>• 11.1.2.2 (Open Functionality Software)<br>• 11.1.2.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Not Applicable | Prerecorded multimedia content is not present. |
| **1.2.3 Audio Description or Media Alternative (Prerecorded)** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.2.3 (Web)<br>• 10.1.2.3 (Non-web document)<br>• 11.1.2.3.1 (Open Functionality Software)<br>• 11.1.2.3.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Not Applicable | Prerecorded multimedia content is not present. |

OPSWAT.
MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **1.3.1 Info and Relationships** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.3.1 (Web)<br>• 10.1.3.1 (Non-web document)<br>• 11.1.3.1.1 (Open Functionality Software)<br>• 11.1.3.1.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Information, structure, and relationships are programmatically defined using HTML headings, tables and lists.<br>Form controls have programmatically defined labels. |
| **1.3.2 Meaningful Sequence** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.3.2 (Web)<br>• 10.1.3.2 (Non-web document)<br>• 11.1.3.2.1 (Open Functionality Software)<br>• 11.1.3.2.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Information is present in a correct sequence through code to ensure that it can be accessed logically by assistive technologies, such as screen readers. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **1.3.3 Sensory Characteristics** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.3.3 (Web)<br>• 10.1.3.3 (Non-web document)<br>• 11.1.3.3 (Open Functionality Software)<br>• 11.1.3.3 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Important instructions to access the application content are not presented using sensory characteristics, such as size, shape, sound and so on. |
| **1.4.1 Use of Color** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.4.1 (Web)<br>• 10.1.4.1 (Non-web document)<br>• 11.1.4.1 (Open Functionality Software)<br>• 11.1.4.1 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element for the content. |
| **1.4.2 Audio Control** (Level A)<br>Also applies to: | Not Applicable | Audio content that plays automatically is not present. |

OPSWAT.
MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| EN 301 549 Criteria<br>• 9.1.4.2 (Web)<br>• 10.1.4.2 (Non-web document)<br>• 11.1.4.2 (Open Functionality Software)<br>• 11.1.4.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| 2.1.1 Keyboard (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.1.1 (Web)<br>• 10.2.1.1 (Non-web document)<br>• 11.2.1.1.1 (Open Functionality Software)<br>• 11.2.1.1.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | All interactive elements are keyboard operable. |
| 2.1.2 No Keyboard Trap (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.1.2 (Web) | Supports | User's keyboard focus does not get trapped while interacting with the web application functionality and they can easily navigate between different interactive elements. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| <ul><li>10.2.1.2 (Non-web document)</li><li>11.2.1.2 (Open Functionality Software)</li><li>11.2.1.2 (Closed Software)</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul>Revised Section 508<ul><li>501 (Web)(Software)</li><li>504.2 (Authoring Tool)</li><li>602.3 (Support Docs)</li></ul> | | |
| **2.1.4 Character Key Shortcuts** (Level A 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<ul><li>9.2.1.4 (Web)</li><li>10.2.1.4 (Non-web document)</li><li>11.2.1.4.1 (Open Functionality Software)</li><li>11.2.1.4.2 (Closed Software)</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul>Revised Section 508 – Does not apply | Not Applicable | Character key shortcuts are not defined for interactive elements. |
| **2.2.1 Timing Adjustable** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<ul><li>9.2.2.1 (Web)</li><li>10.2.2.1 (Non-web document)</li><li>11.2.2.1 (Open Functionality Software)</li><li>11.2.2.1 (Closed Software)</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li></ul> | Supports | An option to turn off or adjust the time limit is available. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| **2.2.2 Pause, Stop, Hide** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.2.2 (Web)<br>• 10.2.2.2 (Non-web document)<br>• 11.2.2.2 (Open Functionality Software)<br>• 11.2.2.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Not Applicable | Moving, blinking and auto-updating content is not present. |
| **2.3.1 Three Flashes or Below Threshold** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.3.1 (Web)<br>• 10.2.3.1 (Non-web document)<br>• 11.2.3.1 (Open Functionality Software)<br>• 11.2.3.1 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 | Not Applicable | Flickering and flashing content is not present. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| **2.4.1 Bypass Blocks** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.4.1 (Web)<br>• 10.2.4.1 (Non-web document) – Does not apply<br>• 11.2.4.1 (Open Functionality Software) – Does not apply<br>• 11.2.4.1 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software) – Does not apply to non-web software<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) – Does not apply to non-web docs | Supports | A mechanism is provided to help users bypass repetitive elements and quickly access the main content. |
| **2.4.2 Page Titled** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.4.2 (Web)<br>• 10.2.4.2 (Non-web document)<br>• 11.2.4.2 (Open Functionality Software) - Does not apply<br>• 11.2.4.2 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool) | Supports | Unique and descriptive page titles are provided. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 602.3 (Support Docs) | | |
| **2.4.3 Focus Order** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>  • 9.2.4.3 (Web)<br>  • 10.2.4.3 (Non-web document)<br>  • 11.2.4.3 (Open Functionality Software)<br>  • 11.2.4.3 (Closed Software)<br>  • 11.8.2 (Authoring Tool)<br>  • 12.1.2 (Product Docs)<br>  • 12.2.4 (Support Docs)<br>Revised Section 508<br>  • 501 (Web)(Software)<br>  • 504.2 (Authoring Tool)<br>  • 602.3 (Support Docs) | Supports | Keyboard users can navigate between different elements in a meaningful and sequential order. |
| **2.4.4 Link Purpose (In Context)** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>  • 9.2.4.4 (Web)<br>  • 10.2.4.4 (Non-web document)<br>  • 11.2.4.4 (Open Functionality Software)<br>  • 11.2.4.4 (Closed Software<br>  • 11.8.2 (Authoring Tool)<br>  • 12.1.2 (Product Docs)<br>  • 12.2.4 (Support Docs)<br>Revised Section 508<br>  • 501 (Web)(Software)<br>  • 504.2 (Authoring Tool)<br>  • 602.3 (Support Docs) | Supports | Links have unique and descriptive text that clearly describes their destination target. |

**OPSWAT.**
MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **2.5.1 Pointer Gestures** (Level A 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.2.5.1 (Web)<br>&bull; 10.2.5.1 (Non-web document)<br>&bull; 11.2.5.1 (Open Functionality Software)<br>&bull; 11.2.5.1 (Closed Software)<br>&bull; 11.8.2 (Authoring Tool)<br>&bull; 12.1.2 (Product Docs)<br>&bull; 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Not Applicable | Functionality dependent on multipoint or path-based gestures is not present. |
| **2.5.2 Pointer Cancellation** (Level A 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.2.5.2 (Web)<br>&bull; 10.2.5.2 (Non-web document)<br>&bull; 11.2.5.2 (Open Functionality Software)<br>&bull; 11.2.5.2 (Closed Software)<br>&bull; 11.8.2 (Authoring Tool)<br>&bull; 12.1.2 (Product Docs)<br>&bull; 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Supports | Functionality of all the interactive elements is triggered on up-event. |
| **2.5.3 Label in Name** (Level A 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.2.5.3 (Web)<br>&bull; 10.2.5.3 (Non-web document)<br>&bull; 11.2.5.3.1 (Open Functionality Software)<br>&bull; 11.2.5.3.2 (Closed Software)<br>&bull; 11.8.2 (Authoring Tool) | Supports | Accessible names of the user interface controls match with their visual labels. |

OPSWAT.
MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | | |
| **2.5.4 Motion Actuation** (Level A 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.5.4 (Web)<br>• 10.2.5.4 (Non-web document)<br>• 11.2.5.4 (Open Functionality Software)<br>• 11.2.5.4 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Not Applicable | Functionality that requires device motion or user motion is not present. |
| **3.1.1 Language of Page** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.1.1 (Web)<br>• 10.3.1.1 (Non-web document)<br>• 11.3.1.1.1 (Open Functionality Software)<br>• 11.3.1.1.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Primary language is defined programmatically. |
| **3.2.1 On Focus** (Level A)<br>Also applies to: | Supports | When any component receives focus, it does not initiate a change of context. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| EN 301 549 Criteria<br>• 9.3.2.1 (Web)<br>• 10.3.2.1 (Non-web document)<br>• 11.3.2.1 (Open Functionality Software)<br>• 11.3.2.1 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| 3.2.2 On Input (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.2.2 (Web)<br>• 10.3.2.2 (Non-web document)<br>• 11.3.2.2 (Open Functionality Software)<br>• 11.3.2.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | When a user inputs any data, it does not initiate a change of context. |
| 3.3.1 Error Identification (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.3.1 (Web) | Supports | Error messages are defined programmatically and identified for assistive technology users. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 10.3.3.1 (Non-web document)<br>• 11.3.3.1.1 (Open Functionality Software)<br>• 11.3.3.1.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| **3.3.2 Labels or Instructions** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.3.2 (Web)<br>• 10.3.3.2 (Non-web document)<br>• 11.3.3.2 (Open Functionality Software)<br>• 11.3.3.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Labels and instructions are provided for the form controls. |
| **4.1.1 Parsing** (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.4.1.1 (Web)<br>• 10.4.1.1 (Non-web document)<br>• 11.4.1.1.1 (Open Functionality Software) | Supports | All the pages are well formed according to HTML markup language specifications. |

# OPSWAT.
## MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 11.4.1.1.2 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| 4.1.2 Name, Role, Value (Level A)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.4.1.2 (Web)<br>• 10.4.1.2 (Non-web document)<br>• 11.4.1.2.1 (Open Functionality Software)<br>• 11.4.1.2.2 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | All the custom controls have name, role and value defined programmatically. |

# OPSWAT.
## MetaDefender Core

## Table 2: Success Criteria, Level AA

Notes: Applicable for a sample set of pages and modal dialogs.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **1.2.4 Captions (Live)** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.1.2.4 (Web)<br>&bull; 10.1.2.4 (Non-web document)<br>&bull; 11.1.2.4 (Open Functionality Software)<br>&bull; 11.1.2.4 (Closed Software)<br>&bull; 11.8.2 (Authoring Tool)<br>&bull; 12.1.2 (Product Docs)<br>&bull; 12.2.4 (Support Docs)<br>Revised Section 508<br>&bull; 501 (Web)(Software)<br>&bull; 504.2 (Authoring Tool)<br>&bull; 602.3 (Support Docs) | Not Applicable | Live multimedia content is not present. |
| **1.2.5 Audio Description (Prerecorded)** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>&bull; 9.1.2.5 (Web)<br>&bull; 10.1.2.5 (Non-web document)<br>&bull; 11.1.2.5 (Open Functionality Software)<br>&bull; 11.1.2.5 (Closed Software)<br>&bull; 11.8.2 (Authoring Tool)<br>&bull; 12.1.2 (Product Docs)<br>&bull; 12.2.4 (Support Docs)<br>Revised Section 508<br>&bull; 501 (Web)(Software)<br>&bull; 504.2 (Authoring Tool) | Not Applicable | Prerecorded multimedia content is not present. |

**OPSWAT.**
MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 602.3 (Support Docs) | | |
| **1.3.4 Orientation** (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.3.4 (Web)<br>• 10.1.3.4 (Non-web document)<br>• 11.1.3.4 (Open Functionality Software)<br>• 11.1.3.4 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Partially Supports | All screens support device orientation. However, a few content is either not available or gets cut off in landscape mode. |
| **1.3.5 Identify Input Purpose** (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.3.5 (Web)<br>• 10.1.3.5 (Non-web document)<br>• 11.1.3.5.1 (Open Functionality Software)<br>• 11.1.3.5.2 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Supports | The purpose of the input fields that collect user information is programmatically defined. |
| **1.4.3 Contrast (Minimum)** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.4.3 (Web)<br>• 10.1.4.3 (Non-web document)<br>• 11.1.4.3 (Open Functionality Software)<br>• 11.1.4.3 (Closed Software) | Supports | Sufficient color contrast is used for displaying textual information. |

# OPSWAT.
## MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| <ul><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul>Revised Section 508<ul><li>501 (Web)(Software)</li><li>504.2 (Authoring Tool)</li><li>602.3 (Support Docs)</li></ul> | | |
| **1.4.4 Resize text** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<ul><li>9.1.4.4 (Web)</li><li>10.1.4.4 (Non-web document)</li><li>11.1.4.4.1 (Open Functionality Software)</li><li>11.1.4.4.2 (Closed Software)</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul>Revised Section 508<ul><li>501 (Web)(Software)</li><li>504.2 (Authoring Tool)</li><li>602.3 (Support Docs)</li></ul> | Partially Supports | Text can be resized up to 200 percent. However, most content is not available with browser's zoom turned on. |
| **1.4.5 Images of Text** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<ul><li>9.1.4.5 (Web)</li><li>10.1.4.5 (Non-web document)</li><li>11.1.4.5.1 (Open Functionality Software)</li><li>11.1.4.5.2 (Closed Software) – Does not apply</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li></ul> | Supports | Plain text is used to present information rather than images of text. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | | |
| 1.4.10 Reflow (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.4.10 (Web)<br>• 10.1.4.10 (Non-web document)<br>• 11.1.4.10 (Open Functionality Software)<br>• 11.1.4.10 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Partially Supports | When content is reflowed, few of the content and functionality is available for low vision users.<br>However, most content and functionality fail to reflow. |
| 1.4.11 Non-text Contrast (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.4.11 (Web)<br>• 10.1.4.11 (Non-web document)<br>• 11.1.4.11 (Open Functionality Software)<br>• 11.1.4.11 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Supports | Sufficient color contrast is used to display informative and functional images as well as user interface controls. |
| 1.4.12 Text Spacing (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria | Supports | When text spacing styles are applied, users can access all content and functionality with ease. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 9.1.4.12 (Web)<br>• 10.1.4.12 (Non-web document)<br>• 11.1.4.12 (Open Functionality Software)<br>• 11.1.4.12 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | | |
| **1.4.13 Content on Hover or Focus** (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.1.4.13 (Web)<br>• 10.1.4.13 (Non-web document)<br>• 11.1.4.13 (Open Functionality Software)<br>• 11.1.4.13 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 – Does not apply | Supports | Information displayed on hover or focus is hoverable, persistent and dismissible. |
| **2.4.5 Multiple Ways** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.4.5 (Web)<br>• 10.2.4.5 (Non-web document) – Does not apply<br>• 11.2.4.5 (Open Functionality Software) – Does not apply<br>• 11.2.4.5 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508 | Supports | Multiple ways for users to locate the required content are available. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 501 (Web)(Software) – Does not apply to non-web software<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) – Does not apply to non-web docs | | |
| **2.4.6 Headings and Labels** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.4.6 (Web)<br>• 10.2.4.6 (Non-web document)<br>• 11.2.4.6 (Open Functionality Software)<br>• 11.2.4.6 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | All the heading text and form control labels are unique and descriptive. |
| **2.4.7 Focus Visible** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.2.4.7 (Web)<br>• 10.2.4.7 (Non-web document)<br>• 11.2.4.7 (Open Functionality Software)<br>• 11.2.4.7 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool) | Supports | On screen focus indicator is clearly visible for the interactive elements. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| • 602.3 (Support Docs) | | |
| **3.1.2 Language of Parts** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.1.2 (Web)<br>• 10.3.1.2 (Non-web document)<br>• 11.3.1.2 (Open Functionality Software) – Does not apply<br>• 11.3.1.2 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Not Applicable | Content in secondary language is not present. |
| **3.2.3 Consistent Navigation** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.2.3 (Web)<br>• 10.3.2.3 (Non-web document) – Does not apply<br>• 11.3.2.3 (Open Functionality Software) – Does not apply<br>• 11.3.2.3 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software) – Does not apply to non-web software<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) – Does not apply to non-web docs | Supports | A consistent navigation mechanism is used across the tested pages. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **3.2.4 Consistent Identification** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.2.4 (Web)<br>• 10.3.2.4 (Non-web document) – Does not apply<br>• 11.3.2.4 (Open Functionality Software) – Does not apply<br>• 11.3.2.4 (Closed Software) – Does not apply<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software) – Does not apply to non-web software<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) – Does not apply to non-web docs | Supports | Elements with identical functionality are identified consistently. |
| **3.3.3 Error Suggestion** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br>• 9.3.3.3 (Web)<br>• 10.3.3.3 (Non-web document)<br>• 11.3.3.3 (Open Functionality Software)<br>• 11.3.3.3 (Closed Software)<br>• 11.8.2 (Authoring Tool)<br>• 12.1.2 (Product Docs)<br>• 12.2.4 (Support Docs)<br>Revised Section 508<br>• 501 (Web)(Software)<br>• 504.2 (Authoring Tool)<br>• 602.3 (Support Docs) | Supports | Error messages are descriptive. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **3.3.4 Error Prevention (Legal, Financial, Data)** (Level AA)<br>Also applies to:<br>EN 301 549 Criteria<br><ul><li>9.3.3.4 (Web)</li><li>10.3.3.4 (Non-web document)</li><li>11.3.3.4 (Open Functionality Software)</li><li>11.3.3.4 (Closed Software)</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul>Revised Section 508<br><ul><li>501 (Web)(Software)</li><li>504.2 (Authoring Tool)</li><li>602.3 (Support Docs)</li></ul> | Not Applicable | Forms that include legal commitments, financial transactions, and user-controllable data are not present. |
| **4.1.3 Status Messages** (Level AA 2.1 only)<br>Also applies to:<br>EN 301 549 Criteria<br><ul><li>9.4.1.3 (Web)</li><li>10.4.1.3 (Non-web document)</li><li>11.4.1.3 (Open Functionality Software)</li><li>11.4.1.3 (Closed Software) – Does not apply</li><li>11.8.2 (Authoring Tool)</li><li>12.1.2 (Product Docs)</li><li>12.2.4 (Support Docs)</li></ul>Revised Section 508 – Does not apply | Supports | Status and error messages are defined programmatically. |

## Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

# OPSWAT.
## MetaDefender Core

# Revised Section 508 Report

Notes: Applicable for a sample set of pages and modal dialogs.

## Chapter 3: Functional Performance Criteria (FPC)

Notes: Applicable for a sample set of pages and modal dialogs.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 302.1 Without Vision | Supports | The web application features allow people without vision to use screen readers to interact with user interface elements. |
| 302.2 With Limited Vision | Partially Supports | The web application features allow people with limited vision to access most of the interface elements. Some challenges may occur while accessing the web application as disclosed in Table 2: 1.4.4. |
| 302.3 Without Perception of Color | Supports | The web application features allow people without perception of color to access all the content and functionality. |
| 302.4 Without Hearing | Supports | The web application features allow people without hearing to access all the content and functionality. |
| 302.5 With Limited Hearing | Supports | The web application features allow people with limited hearing to access all the content and functionality. |
| 302.6 Without Speech | Supports | The web application features allow people without speech to access all the content and functionality as controls do not require speech input. |

## OPSWAT.
MetaDefender Core

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 302.7 With Limited Manipulation | Supports | The web application features can be operated by people with limited manipulation. |
| 302.8 With Limited Reach and Strength | Supports | The web application features can be operated by people with limited reach and strength. |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Supports | The web application features can be operated by people with limited language, cognitive and learning abilities. |

## Chapter 4: Hardware

Notes: MetaDefender Core Platform is not hardware and thus, all the requirements of this section are not applicable.

# Chapter 5: Software

Notes: Applicable for a sample set of pages and modal dialogs.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.1 section<br>Refer to Table 2: 1.4.4 | See information in WCAG 2.1 section |
| *502 Interoperability with Assistive Technology* | Heading cell – no response required | Heading cell – no response required |
| 502.2.1 User Control of Accessibility Features | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.2.2 No Disruption of Accessibility Features | Not Applicable | MetaDefender Core Platform is not a platform software. |
| *502.3 Accessibility Services* | Heading cell – no response required | Heading cell – no response required |
| 502.3.1 Object Information | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.2 Modification of Object Information | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.3 Row, Column, and Headers | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.4 Values | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.5 Modification of Values | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.6 Label Relationships | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.7 Hierarchical Relationships | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.8 Text | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.9 Modification of Text | Not Applicable | MetaDefender Core Platform is not a platform software. |

**MetaDefender Core**

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 502.3.10 List of Actions | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.11 Actions on Objects | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.12 Focus Cursor | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.13 Modification of Focus Cursor | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.3.14 Event Notification | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 502.4 Platform Accessibility Features | Not Applicable | MetaDefender Core Platform is not a platform software. |
| **503 Applications** | Heading cell – no response required | Heading cell – no response required |
| 503.2 User Preferences | Partially Supports | MetaDefender Core Platform permits user preferences from platform settings. However, some content is not available, gets cut off and overlaps when zoomed up to 200%. |
| 503.3 Alternative User Interfaces | Not Applicable | MetaDefender Core Platform is not a platform software. |
| **503.4 User Controls for Captions and Audio Description** | Heading cell – no response required | Heading cell – no response required |
| 503.4.1 Caption Controls | Not Applicable | Multimedia content is not present. |
| 503.4.2 Audio Description Controls | Not Applicable | Multimedia content is not present. |
| **504 Authoring Tools** | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter "not applicable") | Not Applicable | MetaDefender Core Platform is not an authoring tool. |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | MetaDefender Core Platform is not an authoring tool. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 504.2.2 PDF Export | Not Applicable | MetaDefender Core Platform is not an authoring tool. |
| 504.3 Prompts | Not Applicable | MetaDefender Core Platform is not an authoring tool. |
| 504.4 Templates | Not Applicable | MetaDefender Core Platform is not an authoring tool. |

# Chapter 6: Support Documentation and Services

Notes: Support documentation and services of MetaDefender Core Platform are not a part of the accessibility review.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **601.1 Scope** | Heading cell – no response required | Heading cell – no response required |
| ***602 Support Documentation*** | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Not Applicable | Accessibility and compatibility features are not a part of the accessibility review. |
| 602.3 Electronic Support Documentation | Not Applicable | Electronic support documentation is not part of the accessibility review. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable | Alternate formats are not part of the accessibility review. |
| ***603 Support Services*** | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Not Applicable | Information on accessibility and compatibility features is not part of the accessibility review. |
| 603.3 Accommodation of Communication Needs | Not Applicable | Accommodation of communication needs is not part of the accessibility review. |

# OPSWAT.
## MetaDefender Core

# EN 301 549 Report

Notes: Applicable for a sample set of pages and modal dialogs.

## Chapter 4: Functional Performance Statements (FPS)

Notes: Applicable for a sample set of pages and modal dialogs.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 4.2.1 Usage without vision | Supports | The web application features allow people without vision to use screen readers to interact with user interface elements. |
| 4.2.2 Usage with limited vision | Partially Supports | The web application features allow people with limited vision to access most of the interface elements. Some challenges may occur while accessing the web application as disclosed in Table 2: 1.4.4 and 1.4.10. |
| 4.2.3 Usage without perception of colour | Supports | The web application features allow people without perception of color to access all the content and functionality. |
| 4.2.4 Usage without hearing | Supports | The web application features allow people without hearing to access all the content and functionality. |
| 4.2.5 Usage with limited hearing | Supports | The web application features allow people with limited hearing to access all the content and functionality. |
| 4.2.6 Usage with no or limited vocal capability | Supports | The web application features can be operated by people with limited manipulation or strength. |
| 4.2.7 Usage with limited manipulation or strength | Partially Supports | The web application features can be operated by people with limited |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| | | manipulation or strength. Some challenges may occur while accessing the web application as disclosed in Table 2: 1.3.4 |
| 4.2.8 Usage with limited reach | Partially Supports | The web application features can be operated by people with limited reach. Some challenges may occur while accessing the web application as disclosed in Table 2: 1.3.4 |
| 4.2.9 Minimize photosensitive seizure triggers | Supports | The web application does not include any content that triggers photosensitive seizures. |
| 4.2.10 Usage with limited cognition, language or learning | Supports | The web application features can be operated by people with limited language, cognitive, and learning abilities. |
| 4.2.11 Privacy | Supports | The web application features respect the privacy of assistive technology users. |

# OPSWAT.
## MetaDefender Core

## Chapter 5: Generic Requirements

Notes: MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **5.1 Closed functionality** | Heading cell – no response required | Heading cell – no response required |
| **5.1.2 General** | Heading cell – no response required | Heading cell – no response required |
| **5.1.2.1 Closed functionality** | See 5.2 through 13 | See information in 5.2 through 13 |
| **5.1.2.2 Assistive technology** | See 5.1.3 through 5.1.6 | See information in 5.1.3 through 5.1.6 |
| **5.1.3 Non-visual access** | Heading cell – no response required | Heading cell – no response required |
| 5.1.3.1 Audio output of visual information | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.2 Auditory output delivery including speech | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.3 Auditory output correlation | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.4 Speech output user control | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.5 Speech output automatic interruption | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 5.1.3.6 Speech output for non-text content | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.7 Speech output for video information | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.8 Masked entry | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.9 Private access to personal data | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.10 Non-interfering audio output | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.11 Private listening volume | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.12 Speaker volume | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.13 Volume reset | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| | | therefore, not subject to the closed functionality. |
| 5.1.3.14 Spoken languages | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.15 Non-visual error identification | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.3.16 Receipts, tickets, and transactional outputs | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.4 Functionality closed to text enlargement | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.1.5 Visual output for auditory information | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| *5.1.6 Operation without keyboard interface* | Heading cell – no response required | Heading cell – no response required |
| *5.1.6.1 Closed functionality* | See 5.1.3.1 through 5.1.3.16 | See information in 5.1.3.1 through 5.1.3.16 |
| 5.1.6.2 Input focus | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 5.1.7 Access without speech | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.2 Activation of accessibility features | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.3 Biometrics | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.4 Preservation of accessibility information during conversion | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| *5.5 Operable parts* | Heading cell – no response required | Heading cell – no response required |
| 5.5.1 Means of operation | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.5.2 Operable parts discernibility | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| *5.6 Locking or toggle controls* | Heading cell – no response required | Heading cell – no response required |
| 5.6.1 Tactile or auditory status | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 5.6.2 Visual status | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.7 Key repeat | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.8 Double-strike key acceptance | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |
| 5.9 Simultaneous user actions | Not Applicable | MetaDefender Core Platform supports standard assistive technologies and is, therefore, not subject to the closed functionality. |

# Chapter 6: ICT with Two-Way Voice Communication

Notes: MetaDefender Core Platform is not an ICT with Two-Way Voice Communication and thus, all the requirements of this section are not applicable.

# Chapter 7: ICT with Video Capabilities

Notes: MetaDefender Core Platform is not an ICT with Video Capabilities and thus, all the requirements of this section are not applicable.

# Chapter 8: Hardware

Notes: MetaDefender Core Platform is not a hardware and thus, all the requirements of this section are not applicable.

## Chapter [9: Web](#) *(see [WCAG 2.1 section](#))*

Notes: Refer to the previously identified remarks and details for WCAG 2.1 already provided in this VPAT.

## Chapter [10: Non-Web Documents](#)

Notes: MetaDefender Core Platform is not a Non-Web document and thus, all the requirements of this section are not applicable.

# Chapter 11: Software

Notes: Applicable for a sample set of pages and modal dialogs.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| **11.0 General (informative)** | Heading cell – no response required | Heading cell – no response required |
| 11.1.1.1 through 11.4.1.3 | See WCAG 2.1 section<br>Refer to Table 2: 1.3.4, 1.4.4, 1.4.10. | See information in WCAG 2.1 section |
| **11.5 Interoperability with assistive technology** | Heading cell – no response required | Heading cell – no response required |
| **11.5.1 Closed functionality** | Heading cell – no response required | Heading cell – no response required |
| **11.5.2 Accessibility services** | Heading cell – no response required | Heading cell – no response required |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17 |
| 11.5.2.2 Platform accessibility service support for assistive technologies | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17 |
| 11.5.2.3 Use of accessibility services | See information in 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17 |
| 11.5.2.4 Assistive technology | Not Applicable | MetaDefender Core Platform is not an assistive technology. |
| 11.5.2.5 Object information | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.6 Row, column, and headers | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.7 Values | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.8 Label relationships | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.9 Parent-child relationships | Not Applicable | MetaDefender Core Platform is not a platform software. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| 11.5.2.10 Text | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.11 List of available actions | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.12 Execution of available actions | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.13 Tracking of focus and selection attributes | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.14 Modification of focus and selection attributes | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.15 Change notification | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.16 Modifications of states and properties | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.5.2.17 Modifications of values and text | Not Applicable | MetaDefender Core Platform is not a platform software. |
| *11.6 Documented accessibility usage* | Heading cell – no response required | Heading cell – no response required |
| 11.6.1 User control of accessibility features | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.6.2 No disruption of accessibility features | Not Applicable | MetaDefender Core Platform is not a platform software. |
| 11.7 User preferences | Partially Supports | MetaDefender Core Platform permits user preferences from platform settings. However, some content is not available, gets cut off and overlaps when zoomed up to 200%. |
| *11.8 Authoring tools* | Heading cell – no response required | Heading cell – no response required |
| *11.8.1 Content technology* | Heading cell – no response required | Heading cell – no response required |
| 11.8.2 Accessible content creation | Not Applicable | MetaDefender Core Platform |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| | | is not an authoring tool. |
| 11.8.3 Preservation of accessibility information in transformations | Not Applicable | MetaDefender Core Platform is not an authoring tool. |
| 11.8.4 Repair assistance | Not Applicable | MetaDefender Core Platform is not an authoring tool. |
| 11.8.5 Templates | Not Applicable | MetaDefender Core Platform is not an authoring tool. |

# Chapter 12: Documentation and Support Services

Notes: Support documentation and services of MetaDefender Core Platform are not a part of the accessibility review.

| Criteria | Conformance Level | Remarks and Explanations |
|---|---|---|
| *12.1 Product documentation* | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Not Applicable | Accessibility and compatibility features are not part of the accessibility review. |
| 12.1.2 Accessible documentation | Not Applicable | Accessible documentation is not part of the accessibility review. |
| *12.2 Support Services* | Heading cell – no response required | Heading cell – no response required |
| 12.2.2 Information on accessibility and compatibility features | Not Applicable | Information on accessibility and compatibility features is not part of the accessibility review. |
| 12.2.3 Effective communication | Not Applicable | Information on effective communication is not part of the accessibility review. |
| 12.2.4 Accessible documentation | Not Applicable | Accessible documentation is not part of the accessibility review. |

# Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: MetaDefender Core Platform is not an ICT Providing Relay or Emergency Service Access and thus, all the requirements of this section are not applicable.

**OPSWAT.**
MetaDefender Core

# Legal Disclaimer (MetaDefender Core Platform)